





# RC-1000s

A new generation of remote controlled tool carriers.

- Better work environment
- Easy access to engine room
- Quick and easy tool change
- Reliable every season

- Easy to transport
- Dansk design and quality





108 1 23 HP



्रिक्ट 2,4 Ghz





150 m



Year-round



Top efficiency





### Hammer flails for bush and scrub clearing

The heavy-duty hammer flails efficiently clear bushes and scrubs. The downward direction of rotation increases the capacitv in difficult material and ensures excellent



### Built for tough working conditions

With the RC-1000s you can safely work on slopes up to 50° and under solar panels. Its robust design and versatility ensure optimal performance, even in the most challenging terrains.



### Advanced stability system

The RC-1000s is designed to deliver maximum traction, even on steep slopes. The independent tracks ensure that the machine is always in full contact with the terrain, improving stability and performance.



### **Effortless** transport

The compact and lightweight RC-1000s is easy to transport on both trailers and vans, so you can take it with you anywhere, saving time and resources.





Minimise sick leave



Removing the operator from the machine avoids injuries and uncomfortable postures, which not only protects employee health but also ensures a more efficient work process. RC-1000s is a solution that prioritises the health and safety of your employees.

Ergonomic and uninterrupted operation



The RC-1000s comes with two rechargeable batteries that can be charged directly on the machine during use, ensuring uninterrupted operation. The ergonomic remote control gives you control of the machine from up to 150 metres away.

Quick and easy tool change




Effortless tool changing makes the RC-1000s an indispensable part of your equipment. You can easily change tools on the RC-1000s in minutes and without the use of tools. This flexible design maximises your productivity and ensures you can quickly adapt the machine to the demands of the job.

Access to the engine compartment of the RC-1000s is both quick and easy, requiring no tools. The machine is designed with removable cantilevers and sides, making it even simpler to perform necessary maintenance and cleaning. This ensures minimal downtime and maximizes machine uptime and efficiency.

Easy access to engine compartment

# A future-proof solution: WHATEVER THE TASK, TERRAIN AND TIME OF YEAR.



### Flail mower

The ideal tool for demanding terrain. With 18 sets of Y flails and a cutting width of 1 metre, it effectively handles small bushes and shrubs. The direction of rotation can be changed to handle coarser brush and shrubs.



### **Rotary mower**

The rotor mower's three gate knives offer a 1,350 mm cutting width, and the heart-shaped shield allows close cutting near signs and posts. The mower's fine cut grass composts naturally, fertilizing the soil.




### Stump grinder

Control the stump grinder from a safe distance even in difficult conditions. The stump grinder grinds down to 18 cm underground and handles stumps with a diameter of 62 cm and a height of 23 cm.



### Weed brush

The weed brush effectively removes weeds from roadsides, paths and other hard-to-reach areas without the need for pesticides or harmful chemicals. This makes it an eco-friendly choice for outdoor maintenance.



# Double acting cutter bar

The best tool for gentle mowing in hilly terrain. The 170 cm wide Double Blade system provides a capacity of over 10,000 m2/h.



### Counterweight

When mounting other attachments on the machine, such as a snow blower, it is recommended to use a counterweight for optimal balance.



hydraulic broom with a sweeping width of 1200 mm is suitable for clearing all year round.



With 3 hydraulic blade settings, you can efficiently clear even tight areas and slopes while standing at a safe distance.



### **Snow thrower**

Throws snow up to 20 metres and is ideal for areas where there is no room to push the snow to the side. It has a working width of 120 cm.



- Erik, End user





# **Technical Specifications Timan RC-1000s**

Engine Vanguard	23 HP
Working hydraulic	Gear pump 35 liters 250 bar
Transmission to belts	Hydraulic
Transmission to flail head	Hydraulic
Standard Y-flails	36 pcs.
Max work inclination	
Max work speed	
Mowing width with flail mower	1000 mm/39.37 inches
Theoretical max. output with flail mov	wer 7000 m2/75,347 ft²
Weight base machine	440 kg/970 lbs
Weight base machine	
	1310 mm/51.57 inches
Length base machine	

## Optional equipment available

LED flashlight 2 pcs.
Working light 2 pcs.
Hammer flails 18 pcs.
Storage frame for flail mower
Fitting plate for equipment

Turning radius 0 mm/0 inches

Fuel 14 l/3.7 gal Consumption per hour app. ca. 4,0 l/1.06 gal

Automatic reversing fan for hydraulic cooler



### Call your nearest dealer for a no-obligation demonstration

Timan A/S • Osvald Pedersens Vej 2A-D • 6980 Tim • 97 330 360 • info@timan.dk • timan.dk © 2024 Timan A/S. All rights reserved. We reserve the right to make changes to prices, technical features, and changes due to printing and/or other errors.